

2013

Abrahamsson, P. ; Bjorn, I. N. ; Rasmuson, A. (2013). Parameter study of a kinetic-frictional continuum model of a disk impeller high-shear granulator. *Powder Technology*. 238 p. 20-26. [No. 177421]

Abrahamsson, P. ; Khalilitehrani, M. ; Sasic, S. et al. (2013). CONTINUUM MODELING OF PARTICLE FLOWS IN HIGH SHEAR GRANULATION, *6th International Granulation Workshop*. [No. 183408]

Andersson, R. (2013). ENCEINTE DE STOCKAGE DE L' HYDROGÈNE. . [No. 192995]

Andersson, R. (2013). On the accuracy of SpaciMS measurements, *3rd International Symposium on Modeling of Exhaust Gas After Treatment*. [No. 192991]

Andersson, R. ; Andersson, B. (2013). Enhanced mass and heat transfer in catalytic reactors. *Catalysis Today*. 216 p. 117-120. [No. 185728]

Andersson, R. ; Helmi, A. (2013). Stochastic modeling of fluid particle fragmentation in turbulent flows, *Proceedings of the International Conference on Multiphase Flow 2013 (ICMF2013), Jeju, South Korea*. [No. 192990]

Andersson, R. ; Höglblom, O. (2013). Simulation of thermoelectric generators, *Energimyndighetens konferens:Energirelaterad fordonsforskning*. [No. 192996]

Andonova, S. ; Marchionni, V. ; Borelli, M. et al. (2013). Mechanistic investigations of the promoting role of Rh on the NSR performance of NOx storage BaO-based catalysts. *Applied Catalysis B: Environmental*. 132 p. 266. [No. 172170]

Andonova, S. ; Marchionni, V. ; Lietti, L. et al. (2013). Enhanced Low Temperature NOx Reduction Performance Over Bimetallic Pt/Rh-BaO Lean NOx Trap Catalysts. *Topics in Catalysis*. 56 (1-8) p. 68-74. [No. 178121]

Andric, J. ; Fredriksson, S. ; Lindström, S. B. et al. (2013). A study of a flexible fiber model and its behavior in DNS of turbulent channel flow. *Acta Mechanica*. 224 (10) p. 2359-2374. [No. 178004]

Andric, J. ; Lindström, S. B. ; Sasic, S. et al. (2013). A particle-level rigid fiber model for high-Reynolds number flow, implemented in a general-purpose CFD code , *8th International Conference on Multiphase Flow ICMF 2013, Korea*. [No. 178003]

Andric, J. ; Lindström, S. B. ; Sasic, S. et al. (2013). Description and validation of a flexible fiber model, implemented in a general-purpose CFD code, *Proceedings of the 8th International Conference on Multiphase Flow ICMF 2013, Korea*. [No. 177960]

Auvray, X. ; Olsson, L. (2013). Enhancement of NO and C3H6 oxidation by SO2 treatment over Pt/Al2O3, *23rd Meeting of the North American Catalysis Society, Louisville, KY, June 2013*. [No. 188475]

Auvray, X. ; Olsson, L. (2013). Enhancement of NO and C3H6 oxidation by SO2 treatment over Pt/Al2O3, *Energirelaterad fordonsforskning 2013, Örebro, April 2013*. [No. 188473]

Auvray, X. ; Olsson, L. (2013). Sulfur Dioxide Exposure: A Way To Improve the Oxidation Catalyst Performance. *Industrial & Engineering Chemistry Research*. 52 (41) p. 14556-14566. [No. 186701]

- Auvray, X. ; Pingel, T. ; Olsson, E. et al.** (2013). The effect gas composition during thermal aging on the dispersion and NO oxidation activity over Pt/Al₂O₃ catalysts. *Applied Catalysis B: Environmental*. 129 p. 517-527. [No. 172174]
- Azis, M. M. ; Härelind Ingelsten, H. ; Creaser, D.** (2013). Microkinetic modeling of H₂-assisted NO oxidation over Ag-Al₂O₃. *Chemical Engineering Journal*. 221 p. 382-397. [No. 175071]
- Azis, M. M. ; Härelind, H. ; Creaser, D.** (2013). Temperature-programmed desorption (TPD) studies of NO_x over Ag-Al₂O₃ catalyst, *Presented at the 23st North American Catalysis Society Meeting (23th NAM), Louisville, Kentucky, USA, June 2-7, 2013.* [No. 197014]
- Bergenholtz, J. ; Kaunisto, E. ; Rasmuson, A. et al.** (2013). On-off dissociation dynamics of colloidal doublets. *Europhysics letters*. 104 (1) p. artikel nr 18005. [No. 187110]
- Berntsson, T. ; Harvey, S. ; Morandin, M.** (2013). Application of Process Integration to the Synthesis of Heat and Power Utility Systems Including Combined Heat and Power (CHP) and Industrial Heat Pumps. *Woodhead Publishing Series in energy - Handbook of Process Integration (PI)*. p. 168-200. ISBN/ISSN: 978-0-85709-593-0 [No. 190031]
- Bondelind, M. ; Sasic, S. ; Bergdahl, L.** (2013). A model to estimate the size of aggregates formed in a Dissolved Air Flotation unit. *Applied Mathematical Modelling*. 37 p. 3036-3047. [No. 162449]
- Bondelind, M. ; Ström, H. ; Sasic, S. et al.** (2013). Modelling of formation and flow of aggregates in Dissolved Air Flotation: Comparison between 2D and 3D, *Proceedings of the International Conference on Multiphase Flow 2013 (ICMF2013), Jeju, South Korea*. [No. 178930]
- Burman, Å. U. ; Ström, K.** (2013). Vapor-Liquid Equilibrium for Mixtures of Ethylethylenediamine, Ethylenediamine, and Water. *Journal of Chemical and Engineering Data*. 58 (2) p. 257-263. [No. 175308]
- Cerullo, L. ; Nohlert, J. ; Wings, J. et al.** (2013). Microwave Measurements for Metal Vessels, *7th European Conference on Antennas and Propagation, EuCAP 2013, Gothenburg, Sweden, 8-12 April 2013*. p. 3869 - 3873. ISBN/ISSN: 978-1-4673-2187-7 [No. 177872]
- Claesson, J. ; Rasmuson, A. ; Wiklund, J. et al.** (2013). Measurement and Analysis of Flow of Concentrated Fiber Suspensions through a 2-D Sudden Expansion Using UVP. *AIChE Journal*. 59 (3) p. 1012-1021. [No. 177966]
- Claesson, J. ; Wikström, T. ; Rasmuson, A.** (2013). The development of a near-wall boundary layer over a flat plate in concentrated pulp fiber suspensions. *Nordic Pulp & Paper Research Journal*. 28 (3) p. 399-406. [No. 186439]
- Clendinning, K. ; Pockock, T. ; Wik, T.** (2013). Method for controlling a growth cycle for growing plants using state oriented control. . [No. 192491]
- Dang, B. ; Brelid, H. ; Köhnke, T. et al.** (2013). Impact of ionic strength on delignification and hemicellulose removal during kraft cooking in a small-scale flow-through reactor. *Nordic Pulp & Paper Research Journal*. 28 (3) p. 358-365. [No. 186425]
- Eriksson, K. ; Svensson, E. ; Wik, T. et al.** (2013). Pre-study on the establishment of a research collaboration between industrial energy systems and process control at Chalmers. Göteborg: Chalmers University of Technology. [No. 190300]

- Farzaneh, M. ; Almstedt, A-E. ; Johnsson, F. et al.** (2013). Eulerian-Eulerian-Lagrangian Simulation of Fuel Mixing in Fluidized beds, *8th International Conference on Multiphase Flow ICMF 2013, Jeju, Korea, May 26 - 31, 2013*. [No. 176935]
- Farzaneh, M. ; Almstedt, A-E. ; Johnsson, F. et al.** (2013). Simulation of Fuel Mixing in Fluidized Beds using a Combined Tracking Technique, *Fluidization XIV, 2013, Noordwijkerhout, The Netherlands*. [No. 176936]
- Farzaneh, M. ; Sasic, S. ; Almstedt, A-E. et al.** (2013). A Study of Fuel Particle Movement in Fluidized Beds. *Industrial & Engineering Chemistry Research*. 52 (16) p. 5791–5805. [No. 175365]
- Fathali, A. ; Laurell, M. ; Andersson, B.** (2013). Fuel-cut based rapid aging of commercial three way catalysts - Influence of fuel-cut frequency, duration and temperature on catalyst activity, *SAE Technical Papers*. 6 [No. 216435]
- Fathali, A. ; Olsson, L. ; Ekstrom, F. et al.** (2013). Hydrothermal Aging-Induced Changes in Washcoats of Commercial Three-Way Catalysts. *Topics in Catalysis*. 56 (1-8) p. 323-328. [No. 178114]
- Grip, C. E. ; Larsson, M. ; Harvey, S. et al.** (2013). Process integration. Tests and application of different tools on an integrated steelmaking site. *Applied Thermal Engineering*. 53 (2) p. 366-372. [No. 180118]
- Grip, C-E. ; Isaksson, J. ; Harvey, S. et al.** (2013). Application of Pinch Analysis in an Integrated Steel Plant in Northern Sweden. *ISIJ International*. 53 (7) p. 1202-1210. [No. 181819]
- Hackl, R. ; Harvey, S.** (2013). Applying exergy and total site analysis for targeting refrigeration shaft power in industrial clusters. *Energy*. 55 p. 5-14. [No. 179400]
- Hackl, R. ; Harvey, S.** (2013). Framework methodology for increased energy efficiency and renewable feedstock integration in industrial clusters. *Applied Energy*. [No. 179401]
- Hackl, R. ; Harvey, S.** (2013). Identification, cost estimation and economic performance of common heat recovery systems for the chemical cluster in Stenungsund. Göteborg: Chalmers University of Technology. [No. 187164]
- Helander, M. ; Theliander, H. ; Lawoko, M. et al.** (2013). Fractionation of Technical Lignin: Molecular Mass and pH Effects. *Bioresources*. 8 (2) p. 2270-2282. [No. 181088]
- Heyne, S. ; Harvey, S.** (2013). Assessment of the energy and economic performance of second generation biofuel production processes using energy market scenarios. *Applied Energy*. 101 p. 203-212. [No. 164519]
- Heyne, S. ; Harvey, S.** (2013). Thermo-economic Assessment of Three Different Gas Upgrading Technologies for the Production of Synthetic Natural Gas from Biomass. *International Journal of Energy Research*. [No. 190170]
- Heyne, S. ; Thunman, H. ; Harvey, S.** (2013). Exergy-based comparison of indirect and direct biomass gasification technologies within the framework of bio-SNG production. *Biomass Conversion and Biorefinery*. 3 (4) p. 337-352. [No. 178512]
- Heyne, S. ; Thunman, H. ; Seemann, M. et al.** (2013). Bio-SNG Production via Gasification - Process Integration Aspects for Improving Process Performance, *Proceedings of the 21st European Biomass Conference and Exhibition*. p. 1291 - 1304. ISBN/ISSN: 978-88-89407-53-0 [No. 178174]

Höglblom, O. ; Andersson, R. (2013). Analysis of TEG-EGR Cooler Performance using Multiphysics Simulations and Experiments, *International Conference on Thermoelectrics, Kobe, Japan*. [No. 192992]

Höglblom, O. ; Andersson, R. (2013). Modelling of Thermoelectric Generators in an Automotive EGR Cooler, *Anslys Nordic Conference*. [No. 192993]

Jedvert, K. ; Saltberg, A. ; Theliander, H. (2013). Mild steam explosion followed by kraft cooking and oxygen delignification of spruce (*Picea abies*). *Appita Journal*. 66 (4) p. 322-330. [No. 186778]

Jönsson, J. ; Pettersson, K. ; Berntsson, T. et al. (2013). Comparison of options for utilization of a potential steam surplus at kraft pulp mills - Economic performance and CO₂ emissions. *International Journal of Energy Research*. 37 (9) p. 1017-1035. [No. 180445]

Kalaitzakis, E. ; Josefsson, A. ; Castedal, M. et al. (2013). Hepatic encephalopathy is related to anemia and fat-free mass depletion in liver transplant candidates with cirrhosis.. *Scandinavian journal of gastroenterology*. 48 (5) p. 577-584. [No. 175913]

Karlsson, E. ; Gourdon, M. ; Olausson, L. et al. (2013). Crystallization fouling of sodium salts in black liquor falling film evaporators – development of experimental method and first results. *Nordic Pulp & Paper Research Journal*. 28 (4) p. 506-513. [No. 185835]

Karlsson, E. ; Gourdon, M. ; Olausson, L. et al. (2013). Heat transfer for falling film evaporation of black liquor up to very high Prandtl numbers. *International Journal of Heat and Mass Transfer*. 65 p. 907-918. [No. 185756]

Kaunisto, E. ; Rasmuson, A. ; Bergenholtz, J. et al. (2013). Fundamental mechanisms for tablet dissolution: Simulation of particle deaggregation via brownian dynamics. *Journal of Pharmaceutical Sciences*. 102 (5) p. 1569-1577. [No. 177258]

Khalilitehrani, M. ; Abrahamsson, P. ; Rasmuson, A. (2013). THE RHEOLOGY OF DENSE GRANULAR FLOWS IN A DISC IMPELLER HIGH SHEAR GRANULATOR, *6th International Granulation Workshop*. [No. 183410]

Khalilitehrani, M. ; Abrahamsson, P. ; Rasmuson, A. (2013). The rheology of dense granular flows in a disc impeller high shear granulator. *Powder Technology*. 249 p. 309-315. [No. 183833]

Kolavali, R. ; Theliander, H. (2013). Determination of the diffusion of monovalent cations into wood under isothermal conditions based on LiCl impregnation of Norway spruce. *Holzforschung*. 67 (5) p. 559-565. [No. 184408]

Kolavali, R. ; Theliander, H. (2013). Experimental determination of the diffusion of monovalent cation into wood: Effects of temperature and impregnation time on concentration profiles, *Proceedings ISWFPC 2013- The 17 th International Symposium on Wood, Fibre and Pulping Chemistry, Process Chemistry Track, Chemistry of the fiber wall and its components. June 12-14, 2013, Vancouver (BC), Canada*.. [No. 184412]

Li, J. H. ; Wilken, N. ; Kamasamudram, K. et al. (2013). Characterization of Active Species in Cu-Beta Zeolite by Temperature-Programmed Reduction Mass Spectrometry (TPR-MS). *Topics in Catalysis*. 56 (1-8) p. 201-204. [No. 178104]

Ljungstedt, H. ; Pettersson, K. ; Harvey, S. (2013). Evaluation of opportunities for heat integration of biomass-based Fischer-Tropsch crude production at Scandinavian kraft pulp and paper mill sites. *Energy*. 62 p. 349-361. [No. 185798]

- Ljungstedt, H. ; Pettersson, K. ; Harvey, S.** (2013). Opportunities for Heat Integration of Biomass-based Fischer-Tropsch Crude Production at Scandinavian Kraftliner Mill Sites , *Chemical Engineering Transaction*. 35 p. 1051-1056. ISBN/ISSN: 978-88-95608-26-6 [No. 185275]
- Lundberg, B. ; Sjöblom, J. ; Johansson, Å. et al.** (2013). New Methodology for Transient Engine Rig Experiments for Efficient Parameter Estimation. *SAE International Journal of Engines*. [No. 187563]
- Lundström, A. ; Ström, H. ; Skoglundh, M.** (2013). Dispersion aspects of NH₃-delivery strategies for NH₃-based SCR systems. *Topics in Catalysis*. 56 (1) p. 75-79. [No. 167010]
- Mattsson, T. ; Laguarda Martinez, E. ; Sedin, M. et al.** (2013). Local solidosity of microcrystalline cellulose during dead-end filtration and sedimentation. *Chemical engineering research & design*. 91 (6) p. 1155-1162. [No. 180163]
- Mattsson, T. ; Sedin, M. ; Theliander, H.** (2013). - Investigation of skin formation during filtration of microcrystalline cellulose. *FILTRATION*. 13 (2) p. 112-119. [No. 176000]
- Mihai, O. ; Creaser, D. ; Olsson, L.** (2013). Adsorption investigations of oxygen and NO over Pt-supported catalyst, *3rd International Symposium on Modeling of Exhaust-Gas After-Treatment MODEGAT III, Germany*. [No. 202214]
- Nedyalkova, R. ; Kamasamudram, K. ; Currier, N. W. et al.** (2013). Experimental evidence of the mechanism behind NH₃ overconsumption during SCR over Fe-zeolites. *Journal of Catalysis*. 299 p. 101-108. [No. 172141]
- Nedyalkova, R. ; Montreuil, C. ; Lambert, C. et al.** (2013). Interzeolite Conversion of FAU Type Zeolite into CHA and its Application in NH₃-SCR. *Topics in catalysis*. 56 (9-10) p. 550-557. [No. 180208]
- Nedyalkova, R. ; Shwan, S. ; Skoglundh, M. et al.** (2013). Improved low-temperature SCR activity for Fe-BEA catalysts by H₂-pretreatment. *Applied Catalysis B: Environmental*. 138 p. 373-380. [No. 174410]
- Nguyen, T. D. H. ; Maschietti, M. ; Åmand, L-E. et al.** (2013). Catalytic Depolymerisation and Conversion of Kraft Lignin to Liquid Products Using Near-Critical Water , *Proceedings, 21st European Biomass Conference, 3-7 June 2013, Copenhagen, Denmark*. p. 485-493. [No. 192240]
- Pettersson, K. ; Harvey, S.** (2013). Optimal location of biorefineries. *Systems Perspectives on Biorefineries 2013*. p. 92-105. ISBN/ISSN: 978-91-980973-2-0 [No. 185717]
- Pinares, G. ; Le, T. ; Breitholtz, C. et al.** (2013). Analysis of the dc Dynamics of VSC-HVDC Systems Using a Frequency Domain Approach , *IEEE PES Asia-Pacific Power and Energy Engineering Conference 2013, 8-11, December 2013, Hong Kong, China*. [No. 192778]
- Pinares, G. ; Tjernberg, L. B. ; Le, T. et al.** (2013). On the analysis of the dc dynamics of multi-terminal VSC-HVDC systems using small signal modeling , *IEEE PowerTech Conference 2013, 16-20 June 2013, Grenoble, France*. ISBN/ISSN: 978-1-4673-5667-1 [No. 186170]
- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Deactivation mechanisms of Fe-BEA as NH₃-SCR catalyst - Experimental studies and kinetic modeling, *Energirelaterad Fordonsforskning, 10-11 April, Örebro, Sverige*. [No. 196273]

- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Fundamental deactivation mechanisms of Fe-BEA as NH₃-SCR catalyst for NO_x reduction in oxygen excess, *Norwegian Symposium on Catalysis, 2-3 December, Trondheim, Norge.* . [No. 196267]
- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Hydrothermal stability of iron-exchanged zeolite BEA as SCR-catalyst – Experimental and Modeling study, *Frontiers of silica research, Chalmers, 25-26 Mars, Göteborg, Sverige.* [No. 196277]
- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Kinetic deactivation model for Fe-BEA as NH₃-SCR catalyst, *Presented at EuropaCat XI-2013, Lyon, France, Sept 1-6, 2013.* [No. 183328]
- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Kinetic deactivation model for Fe-BEA as NH₃-SCR catalyst, *Presented at MODEGAT III, Bad Herrenalb, Germany, Sept 8-10, 2013.* [No. 183329]
- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Kinetic deactivation model for Fe-BEA as NH₃-SCR catalyst, *Presented at the AVL Advanced Simulation Technologies User Conference 2013 Graz, Austria, June 18-20, 2013.* [No. 179538]
- Shwan, S. ; Jansson, J. ; Olsson, L. et al.** (2013). Kinetic deactivation model of Fe-BEA as NH₃-SCR catalyst, *Nordforsk, 24-25 November, Ystad, Sverige.* [No. 196276]
- Shwan, S. ; Nedyalkova, R. ; Korsgren, J. G. et al.** (2013). Influence of hydrothermal ageing on NH₃-SCR over Fe-BEA -Inhibition of NH₃-SCR by ammonia. *Topics in catalysis.* [No. 173960]
- Sjöblom, J. ; Kannan, A. S. ; Ojagh, H. et al.** (2013). Modelling of particulate matter transformations and capture efficiency, *MODEGAT III.* [No. 185508]
- Sjöblom, J. ; Ström, H.** (2013). Capture of automotive particulate matter in open substrates, *Proceedings of the 17th ETH Conference on Combustion Generated Nanoparticles, 2013, Zürich, Switzerland.* [No. 182477]
- Sjöblom, J. ; Ström, H.** (2013). Capture of Automotive Particulate Matter in Open Substrates. *Industrial & Engineering Chemistry Research.* 52 (25) p. 8373-8385. [No. 178914]
- Sott, K. ; Gebäck, T. ; Pihl, M. et al.** (2013). MicroPIV methodology using model systems for flow studies in heterogeneous biopolymer gel microstructures. *Journal of Colloid and Interface Science.* 398 (15 May 2013) p. 262-269. [No. 176726]
- Ström, H.** (2013). Numerical simulations of reacting nano-scale flows. Göteborg: Chalmers University of Technology. [No. 180993]
- Ström, H. ; Bondelind, M. ; Sasic, S.** (2013). A novel hybrid scheme for making feasible numerical investigations of industrial three-phase flows with aggregation. *Industrial & Engineering Chemistry Research.* 52 p. 10022-10027. [No. 179691]
- Ström, H. ; Sasic, S.** (2013). A multiphase DNS approach for handling solid particles motion with heat transfer. *International Journal of Multiphase Flow.* 53 p. 75-87. [No. 172776]
- Ström, H. ; Sasic, S.** (2013). Direct numerical simulations of heat and momentum transfer in dispersed multiphase flows, *Proceedings of the International Conference on Multiphase Flow 2013 (ICMF2013), Jeju, South Korea.* [No. 176933]

- Ström, H. ; Sasic, S.** (2013). Heat transfer effects on particle motion under rarefied conditions. *International Journal of Heat and Fluid Flow*. 43 p. 277-284. [No. 176242]
- Ström, H. ; Thunman, H.** (2013). A computationally efficient particle submodel for CFD-simulations of fixed-bed conversion. *Applied Energy*. 112 (SI) p. 808-817. [No. 168696]
- Ström, H. ; Thunman, H.** (2013). CFD simulations of biofuel bed conversion: A submodel for the drying and devolatilization of thermally thick wood particles. *Combustion and Flame*. 160 (2) p. 417-431. [No. 167616]
- Svensson, S. ; Olsson, C. ; Westman, G. et al.** (2013). Focused Beam Reflectance Measurements (FBRM) for in-situ characterization of wood components in solid-liquid dispersions, *Book of Abstracts, Avancell Conference, Gothenburg, Sweden October 8-9, 2013 Place: Chalmers University of Technology, Title: "Creating Value from the Swedish Forest Resources"*. p. 55-56 (2 s). [No. 193467]
- Svensson, S. ; Olsson, C. ; Westman, G. et al.** (2013). Study of the dissolution behavior of wood components in ionic liquid based solutions, *Proceedings, 17th International Symposium on Wood, Fiber and Pulping Chemistry, ISWFPC, Vancouver, June 12 through June 13 2013*. p. 2. [No. 193466]
- Tamm, S. ; Fogel, S. ; Gabrielsson, P. et al.** (2013). The effect of gas composition on hydrogen assisted NH₃-SCR over Ag/Al₂O₃. *Applied Catalysis B: Environmental*. 136 p. 168-176. [No. 173710]
- Tamm, S. ; Olsson, L. ; Fogel, S. et al.** (2013). A kinetic model of the hydrogen assisted selective catalytic reduction of NO with ammonia over Ag/Al₂O₃. *AIChE Journal*. 59 (11) p. 4325-4333. [No. 182723]
- Tamm, S. ; Vallim, N. ; Skoglundh, M. et al.** (2013). The influence of hydrogen on the stability of nitrates during H₂-assisted SCR over Ag/Al₂O₃ catalysts – A DRIFT study. *Journal of Catalysis*. 307 p. 153-161. [No. 182797]
- Thunman, H. ; Ström, H.** (2013). Single particle modelling for implementation into CFD, *European Biomass Conference and Exhibition*. [No. 182550]
- Wang-Hansen, C. ; Ericsson, P. ; Lundberg, B. et al.** (2013). Characterization of particulate matter from direct injected gasoline engines. *Topics in catalysis*. 56 p. 446-451. [No. 174319]
- Wang-Hansen, C. ; Soltani, S. ; Andersson, B.** (2013). Kinetic analysis of O₂- and NO₂-based oxidation of synthetic soot. *Journal of Physical Chemistry C*. 117 (1) p. 522-531. [No. 173287]
- Wernersson Brodin, F. ; Sonavane, Y. ; Theliander, H.** (2013). Preparation of Absorbent Foam Based on Softwood Kraft Pulp: Advancing from Gram to Kilogram Scale. *Bioresources*. 8 (2) p. 2099-2117. [No. 181087]
- Wernersson Brodin, F. ; Theliander, H.** (2013). A comparison of softwood and birch kraft pulp fibers as raw materials for production of TEMPO-oxidized pulp, MFC and superabsorbent foam. *Cellulose*. 20 (6) p. 2825-2838. [No. 189299]
- Wernersson Brodin, F. ; Theliander, H.** (2013). High Temperature TEMPO Oxidation in a Heterogeneous Reaction System: An Investigation of Reaction Kinetics, Pulp Properties, and Disintegration Behavior. *Bioresources*. 8 (4) p. 5925-5946. [No. 193425]

Westerberg, N. ; Rasmuson, A. (2013). Chromatographic separation of wood model constituents- Mathematical modeling and parameter estimation. *Chemical Engineering Research and Design*. 92 (7) p. 1363-1370. [No. 199485]

Wigström, O. ; Lennartson, B. ; Vergnano, A. et al. (2013). High-Level Scheduling of Energy Optimal Trajectories. *IEEE Transactions on Automation Science and Engineering*. 10 (1) p. 57-64. [No. 169009]

Wik, T. ; Carstensen, A-M. ; Pocock, T. (2013). Excess light detection for greenhouse illumination, *Proceedings 18th Nordic Process Control Workshop*. [No. 189870]

Wilken, N. ; Nedyalkova, R. ; Kamasamudram, K. et al. (2013). Investigation of the Effect of Accelerated Hydrothermal Aging on the Cu Sites in a Cu-BEA Catalyst for NH₃-SCR Applications. *Topics in Catalysis*. 56 (1-8) p. 317-322. [No. 178112]

Zhu, W. ; Westman, G. ; Theliander, H. (2013). Investigation and Characterization of Lignin Precipitation in the LignoBoost Process. *Journal of Wood Chemistry and Technology* . 34 (2) p. 77-97. [No. 188982]